PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different) NAME CYPRUS THOMPSON CREEK MINING C ADDRESS P. J. BOX 62 CLAYTON LD B3227			100	LUTANT DISCI HARGE MON (2-16)	F + FINAL DISCHARTO	r GURI	Form Approved OMB No. 2040-0004 Expires 2-29-84						
		MONIT	ORING	PERIO	OD D	77.7	APR 1	- 1088 E					
FACILITY LOCATION			FROM		DAY TO	YEAR 88	MO DAY	MAJOR ESL	SUBR 03)				
ATTN: BERT DOUGHTY.	ENVIRON.	SUPERV.	(20-		(4 Card On		28-29) (30-31)	NOTE: Read inst	ructions before	STUDENT	DATE:		
PARAMETER (32-37)	/	(3 Card Only) QUANTITY OR (46-53) (54-61)		DING	(38-45)		(46-53)	(54-61)	EPA - REC	NO.	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIM	MUI	AVERAGE	MAXIMUM	UNITS	(62-63)		(69-70)	
РН	SAMPLE MEASUREMENT	****	****				बहेर और महेर और और मीर व						
00400 1 0 0	PERMIT REQUIREMENT	000000	000000	0000	MINIM	e S house	00000	T MAXIME	000000000		EEKLIK	E343	
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	000000	****	**	你你的	****		A STATE OF THE STA					
00530 1 0 0 FEELUENT GROSS VALUE	PERMIT REQUIREMENT	0.00000	000000	· 中央中华	0000	edito:	DATLY AN	/ DATEY B	36300000		CERTY	Asia	
FLOW. IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	0	0		建筑	wite.	\$1000000000000000000000000000000000000	(a specification)					
50050 15 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT DAILY AV	REPORT DAILY M	X MGD	QUINO:	140	SERVERTER.	000000	· · · · · · · · · · · · · · · · · · ·		ALLY		
TO THE PERSON NAMED IN COLUMN 1	SAMPLE MEASUREMENT					ZERO	FLOW						
15 14 15 15 15 15 15 15 15 15 15 15 15 15 15	PERMIT REQUIREMENT		0.49				1383						
	SAMPLE MEASUREMENT		9										
	PERMIT REQUIREMENT		8030			-	22.00		8000				
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT						7825	P. P.	N 8 8 5				
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT						-142.1		100				
P.HJ. Fitch Vice President and Gener TYPED OR PRINTED COMMENT AND EXPLANATION OF ANY	AND AN ON MY OBTAIN IS TRUE INFICAN THE PO 33 USC and or n		INFORMATION SUBMINDIVIDUALS IMMET INDIVIDUALS IMMET INDIVIDUALS IMMET WHELTE I AM AW UBMITTING FALSE D IMPRISONMENT For these statutes may between 6 months an s here)	MITTED HEREIN: A DIATELY RESPONS SUBMITTED INF ARE THAT THERE INFORMATION. SEE 18 U.S.C. 5 ay include fines up d 5 years.)	ND BASED SIBLE FOR ORMATION ARE SIG- INCLUDING 1001 AND 10 \$10,000	OFFIC	JRE OF PRINCIP CER OR AUTHOR	IZED AGENT	TELEPHONI 08 838- REA NUME	2200	88 4	12 10 DAY	
NO DISCHARGE OF FLOR	TING SOLI	OS OR VISI	BLE POAM	IN OTHE	R THAN	FIRA	CE AMOUN				TILLS		

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different) Form Approved NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR) OMB No. 2040-0004 CYPRUS THOMPSON CREEK MINING I (17-19)F - FINAL Expires 2-29-84 10002540 001---UUAF PERMIT NUMBER DISCHARGE NUMBER CLAYFON MONITORING PERIOD APR 15 1988 FACILITY YEAR DAY YEAR MO DAY FROM TO (SUBR 03) MAJOR LOCATION NOTE: Read instructions before completing this form ATTH: BERT DOMERTY. ENVIRON. SUPERV. (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) (3 Card Only) QUANTITY OR LOADING (4 Card Only) QUALITY OR CONCENTRATION NO. FREQUENCY SAMPLE PARAMETER (46-53)(54-61) (38-45)(46-53)(54-61)OF ANALYSIS EX TYPE (32-37)AVERAGE MAXIMUM UNITS MINIMUM AVERAGE MAXIMUM UNITS (62-63) (64-68) (69-70) ARSENIC, TOTAL 这些故事事实也 森北北京政治 **拉尔拉拉斯** SAMPLE MEASUREMENT LAS AS I 線索亦立 PERMIT REQUIREMENT PELLENT GROSS VALU the size the plant of a life the sale with the sale sale AND REAL PROPERTY. the special state of the AUNTUM SAMPLE MEASUREMENT (AS CD) AND DEALERS PERMIT REQUIREMENT GROSS VALL 非常物物 a was disco where the state of planta annie masic **建筑建筑建筑** OPPER, TOTAL SAMPLE MEASUREMENT (AS CU) SERVICE CONTRACTOR OF SERVICE CO. **CONTRACTOR** 0 0 AT A STREET PERMIT REQUIREMENT PPLUENT GROSS VALU बोड कीर बोट कीर **VERAGI** INC. TUTAL 加速車車車車 SECTION OF STREET STATE OF STREET ALCOHOLD STORY SAMPLE MEASUREMENT (AS ZN) Congression of the PERMIT REQUIREMENT EFFLUENT GROSS VALU SAMPLE MEASUREMENT ZERD FLOW PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TELEPHONE DATE ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION P.H. Fitch IS TRUE ACCURATE AND COMPLETE I AM AWARE THAT THERE ARE SIG NIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING Vice President/Charral Manage THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. \$ 1001 AND 838-2200 04 12 SIGNATURE OF PRINCIPAL EXECUTIVE 33 USC § 1319. (Penalties under these statutes may include fines up to \$10,000) AREA and or maximum imprisonment of between 6 months and 5 years.) TYPED OR PRINTED OFFICER OR AUTHORIZED AGENT NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

USE THIS DAR FOR PREPORTING PARAMETERS AT OOZ SAMPLED ON A QUARTERLY BASTS.

NAME CYPKUS INUMPSUR	I LABER MI	RELEGIC		(2-10)		(17-19)	- THERESO	1 000	5 19	Expires 2-	29-84
ADDRESS P. D. BOX 62			10002	402	00	IZ A DI	SCHARGE T	C BILLY H	S. A.	Expires 2-	EK.
CLAYTON		0 83227	PERMIT	T NUMBER	DISCH	HARGE NUMBER		CONADI	IANC	E SECTI	ON
				MONITO	ORING PERIC	OD]	AVATE	WATER COMPLIANCE SECTI EPA - REGION 10			
FACILITY			YEAR	MO DA	AY YEAR	MO DAY					
LOCATION			FROM 88	03 0	T TO 38		JUR (SUB				
ATTN: BERT DOUGHTY,											
PARAMETER (32-37)	/	(3 Card Only) QUA (46-53)	NTITY OR LOADING	3	(4 Card Only) (38-45)	QUALITY OR CONCENTRATION (46-53) (54-61)				FREQUENCY	AND JOSEPH AND R. Seek Mass
	X	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	EX (62-63)	ANALYSIS (64-68)	(69-70)
РН	SAMPLE MEASUREMENT	A CONTRACTOR OF STREET	2. 安全等收益收		7.2	0.000000	7.7	200	0	ÿ kly G	rab
00400 1 0 0 FFLUENT GROSS VALUE	PERMIT REQUIREMENT	Secope	000000 0		6.5 MINIMUM	000000	9.0 MAXIMUM	SU		EKI YE	140
SUSPENDED	SAMPLE MEASUREMENT	000000	******		*****	3.5	3,5,0	52	0	Wkly G	AND DESCRIPTION OF THE PARTY OF
FFLUENT GROSS VALUE	PERMIT REQUIREMENT	000000	10000000	le de de Controles de	000000	DAILY AV	DAILY NA	MG/L		uek E Y u	i As
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	0.295	0.453		2000000	如原油物物的	\$\$\$\$\$\$\$			Daille	
FALUENT GROSS VALUE	PERMIT REQUIREMENT	DATLY AV	DAILY MX	160	00000	000000		6900		A Property of	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT	1000	1			1-12					
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT		499		- 11	111111					
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT				73.	450				111	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT				14						
NAME/TITLE PRINCIPAL EXECUTIVE	AND A	IFY UNDER PENALTY OF METALTY OF THE I	NFORMATION SUBMITTED	HEREIN AN	D BASED			TELEPHONE D			TE
.H. Fitch	OBTAIN	INQUIRY OF THOSE	I BELIEVE THE SUB	MITTED INFO	RMATION	5 1 1 1 1	0.4		21112	S LOUIS	F105
ice President and	NIFICAL	IE ACCURATE AND CON	JBMITTING FALSE INFO	DRMATION, IN	ICLUDING	Var AD La	PUE				
General Manager THE POSSIBLE 33 U.S.C. 6 13		C § 1319. (Penalties und	SIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND \$ 1319. (Penalties under these statutes may include fines up to \$10,000			URE OF PRINCIPAL			00	88 04	12
TYPED OR PRINTED		maximum imprisonment of	The same of the sa	ars.)	OFFIC	CER OR AUTHORIZE	D AGENT COL	NUMB	ER	YEAR M	O DAY
OMMENT AND EXPLANATION OF ANY				OTHE	R THAN TRA	CE AMBUNTS					

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different) NAME CYPRUS THOMPSON CREEK MINING C ADDRESS OF BOX 52 CLAYTON 10 81227			NATIONAL POLLUTANT DISCHARGE ELIM DISCHARGE MONITORING I (2-16) PERMIT NUMBER				RT (DMR) (17-19)	- FINAL	REG.	ĒÆ	Form Approved OMB No. 2040-0004 Expires 2-29-84		
				М	MONITORING		ac		APR	15 1988			
			FROM	YEAR MO	DAY	TO YEAR	MO DAY	AJOR VE					
ATTN: BERT DOUGHTY.	ENVIRON.	SUPERV.			3) (24-25)		(28-29) (30-31)	NOTE: Read in	structions befo	e comp	leting this	lorm.	
PARAMETER (32-37)		(3 Card Only) QU (46-53)	(54-61)	OADING	(4 (Card Only) (38-45)	QUALITY OR CO (46-53)	ONCENTRATION (54-61)		NO.	FREQUENCY	CONTRACTOR OF THE STATE OF THE	
		AVERAGE	MAXIMU	M UN	ITS	MINIMUM	AVERAGE	MAXIMU	M UNITS	(62-63)	(64-68)	(69-70)	
ARSENIC, TOTAL (AS AS)	SAMPLE MEASUREMENT	*****	****	i olje kje		000000	< 0.0055		100			cab 🖖	
OTOOS 1 0 0	PERMIT REQUIREMENT	******	00000	000		200000	REPORT AVERAGE	20500	MG/L		TRLY	RAU	
CADMIUM, TOTAL (AS CD)	SAMPLE MEASUREMENT	of professional profession		NAME OF THE PARTY		alle alle alle alle alle alle	4020055	4444	****	40	OFFI V K	nal)	
01027 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	00000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		000000	REPORT AVERAGE	90000	M6/4		TRLY I	8.85	
COPPER+ TOTAL (AS CU)	SAMPLE MEASUREMENT	****	*****	(本本	-	000000	Q010-1	9949	华华		Otrly (cab b	
01042 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	0.000.00	\$300.00	0000 000		500000	REPORT AVERAGE	4000000	MG / L		TRUY (BAB	
ZINC, TOTAL (AS ZN)	SAMPLE MEASUREMENT	****	0000	OR SE		****	(d.6050)	***	***		Qtrly 6	rab	
Old92 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	00000	540.00	00 00 00 00 00 00 00 00 00 00 00 00 00		000000	REPORT AVERAGE	900000	MG/L		TRLY I	KAD	
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT					- 11							
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT						1150425			100			
	PERMIT REQUIREMENT						1165		A III				
P.H. Fitch General Manager Typed or Printed	AND AT ON MY OBTAIN IS TRU NIFICAM THE PC 33 USG and or i	IFY UNDER PENALTY (M FAMILIAR WITH THE 'INQUIRY OF THOSE ING THE INFORMATIO IE ACCURATE AND CO AT PENALTIES FOR S OSSIBILITY OF FINE AN C § 1319 (Penalties un maximum imprisonment o	INFORMATION SI INDIVIDUALS IM. I BELIEVE TO SUBMITTING FALID IMPRISONMEN der these statutes foetween 6 months	UBMITTED HER MEDIATELY RE THE SUBMITTE AWARE THAT SE INFORMAT T SEE 18 US may include for	EIN AND BA SPONSIBLE D INFORMA THERE ARE TION INCLUI SC § 1001	FOR TION SIG- DING AND 0,000 SIGNAT	URE OF PRINCIP		TELEPHO 208 838- AREA NUM		38 04	12 10 DAY	
USE THIS DAR FOR FREE			Salar Sa	AMPLEO	ON A	QUARTER	ILY BASIS.	MAN MAN					